



Hydro Guard™ - C1000-UF ULTRAFILTRATION

Counter Top Water Filtration System

Hydro Guard™ Total Care Water Systems

are high performance water filtration systems designed to substantially improve the quality of your drinking water. They provide great tasting water while producing water that is cleaner, healthier and safer. We strive to provide top quality products and understand that transforming your water from questionable to premiere quality is really not a matter of chance, it's simply a matter of choice.

Hydro Guard™ Total Care Water Filtration Systems

are designed to address a broad range of issues relating to your drinking water like taste, odor, chlorine and most importantly, items of health concern that are paramount to your family's health and wellbeing.

The Hydro Guard™ C1000-UF incorporates a multi-stage water filtration cartridge designed to provide you with 800 gallons of premium quality drinking water with minimal service or maintenance. Hydro Guard has combined and enhanced proven filtration technologies to provide you with a product that will give you water that not only tastes great but also addresses contaminants of health concern.

Stage 1 –

Hydro Guard's radial flow filtration allows water to enter the cartridge through the radius of the filter allowing the filters Stage 1 outer layer to trap and retain larger particles such as dirt, rust and sediment. The FDA CFR 21 compliant fine web polypropylene fibers do not impart color, odor or chemicals into the water and are an ideal pre-filtration media.

Stage 2 –

After water passes through the outer layer it then enters and passes through the NSF Certified Coconut Shell Solid Carbon Block filter to reduce items of health concern. The carbon block micro-strains the water through its 0.5 micron pores to trap micro-organisms and cysts. The carbon blocks chemisorptive process also allows it to effectively reduce Volatile Organic Compounds (VOC's – Organic Chemicals), PCB's, Certain Heavy metals such as Lead, Pesticides, Herbicides, Chloroform and other chlorination by- products.

Stage 3 –

In the final filtration process water passes through an array of sophisticated 0.01 - 0.1µ Ultra Filtration (UF) hollow fibers for the effective removal of Bacteria, Viruses and Cysts. Suspended particles and materials of high molecular weight are unable to pass through the 0.01- 0.1 micron UF ultrafiltration membrane, allowing only fresh clean water and dissolved minerals to pass through.

HYDRO GUARD™ WATER SCIENCES | PO Box 2235 Chino Hills, CA 91709, USA

Total Care™
Filtration

www.hydroguardwater.com

Hydro Guard™ - C1000-UF

ULTRAFILTRATION

Counter Top Water Filtration System



The Hydro Guard™ C1000-UF also incorporates throughout the solid carbon filter Microban® technology. Microban® antimicrobial technology inhibits the growth of bacteria that can cause odors and fouling of the filter surface, so your filter keeps working at peak performance. On an unprotected surface, bacteria can double in number every 20 minutes causing premature fouling of the water filter. Microban® antimicrobial product protection works continuously to inhibit the growth of bacteria that can adversely affect filter performance.

HYDRO GUARD™ End Of Life Indicator (ELI)

The Hydro Guard™ End of Life Indicator (ELI) is another way Hydro Guard™ helps you safeguard your drinking water. The ELI measures time and informs you when it's time to change your filter. This is an added convenience which takes away the guess work and helps ensure your drinking water system is working at optimal performance. Two LED lights update you on the systems operation. The **YELLOW LED** indicates less than 10% of filter capacity remains (*it's time to order a replacement cartridge*), and the **RED LED** indicates the filter capacity has been reached, and it's time to install new cartridge.

Peace of mind made easy!



HYDRO GUARD™ WATER SCIENCES | PO Box 2235 Chino Hills, CA 91709, USA

PRODUCT BENEFITS

- ✓ 0.1µ Filtration
- ✓ Excellent Contaminant Reduction**
- ✓ Superior Taste, Odor and Chlorine Reduction**
- ✓ Lead, Cyst and VOC Reduction**
- ✓ 800 Gallon Capacity**
- ✓ Bacterial Removal**
- ✓ End of Life Indicator (ELI - Filter Change Indicator)
- ✓ Carbon Block Certified by NSF®
- ✓ Quick & Easy Install
- ✓ Microban® Antimicrobial Protection

PRODUCT SPECIFICATIONS

Rated Capacity:	800 gallons (3028.33 L)
Micron Rating:	0.1µ
Replacement Filter:	HDG-UF
Flow Rate:	.75 GPM (2.84 LPM) @ 60psi
Maximum Working Pressure:	100 psig (689.5 kPa)
Minimum Working Pressure:	30 psig (206.8 kPa)
Maximum Operating Temperature:	100 °F (38 °C)
Minimum Operating Temperature:	34 °F (1 °C)

COLORS AVAILABLE



NOTICE: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

** NSF Standard 53 Certification Pending.*

*** This water filtration device has not finalized certification with NSF International and has not been approved by the California Water Resource Control Board, therefore, it is not available for sale in the State of California for the contaminant reduction claims listed.*

Distributed by: